



1299 PENNSYLVANIA AVENUE, N.W.
WASHINGTON, DC 20004-2402
PHONE: 202.783.0800 • FAX: 202.383.6610

FACSIMILE COVER SHEET

DATE:	<u>November 2, 2004</u>		
TO:	NAME:	<u>Examiner Javaid Nasri</u>	
	COMPANY:	<u>USPTO</u>	
	FAX NUMBER	<u>(571) 273-2095</u>	PHONE NUMBER: <u>(571) 272-2095</u>
	CITY:	<u>Alexandria, VA</u>	
FROM:	NAME:	<u>Michael Bell</u>	
	DIRECT DIAL NUMBER:	<u>(202) 383-6500</u>	USER ID: <u>5085</u>
NUMBER OF PAGES, INCLUDING COVER:	<u>23</u>	CHARGE NUMBER:	<u>02708.0161.NPUS00</u>
<input type="checkbox"/> ORIGINAL WILL FOLLOW VIA:			
<input type="checkbox"/> REGULAR MAIL <input type="checkbox"/> OVERNIGHT DELIVERY <input type="checkbox"/> HAND DELIVERY <input type="checkbox"/> OTHER: _____			
<input checked="" type="checkbox"/> ORIGINAL WILL NOT FOLLOW			

SUPPLEMENTAL MESSAGE:

U.S. Application No.: 10/604,157
Inventors: COOKE, et al.
Attorney Docket No.: 02708.0161.NPUS00

THE INFORMATION CONTAINED IN THIS TRANSMISSION IS PRIVILEGED AND CONFIDENTIAL. IT IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

IF THERE ARE ANY QUESTIONS OR PROBLEMS WITH THE TRANSMISSION OF THIS FACSIMILE, PLEASE CALL 202.383.7137.



1299 PENNSYLVANIA AVE., NW
WASHINGTON, DC 20004-2402
PHONE 202.783.0800
FAX 202.383.6610
A LIMITED LIABILITY PARTNERSHIP

MICHAEL J. BELL
PARTNER
202.383.6500
bellm@howrey.com

November 2, 2004

Via Facsimile
(571) 273-2095


Examiner Javaid Nasri
USPTO
Alexandria, VA 22313

Re: U.S. Utility Patent Application No. 10/604,157
Filed: June 28, 2003
Title: **Fiber Splice Tray for Use in Optical
Fiber Hydrophone Array**
Inventors: COOKE, et al.
Our Ref.: 02708.0161.NPUS00

Dear Examiner Nasri:

Per our telephone conversation of today, I am forwarding a copy of the originally filed Figures 1-43 (drawing sheets 1-21) in the above-identified application. Please call me at (202) 383-6500 if you have any questions.

Sincerely,


Michael J. Bell

Enclosures